CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 33, 1996

A

Abadi, K., 53, 169
Abebe, M., 173
Adam, F., 760
Alekseev, A. N., 351
Alzogaray, R. A., 58
Anderson, G. S., 458
Anderson, J. F., 766
Andrade-Narvaez, F. J., 683
Andre, R. G., 205
Appel, A. G., 926
Apperson, C. S., 598
Arlian, L. G., 236, 257
Arshad, M., 689
Auty, B., 177
Avila, I. G., 680
Azad, A. F., 482, 490
Azeredo-Espin, A.M.L., 839
Azuolas, J. K., 180

B

Barlough, J. E., 1
Baron, R. W., 946
Bartholomew, D. M., 6
Basir, S. F., 195
Baumgärtner, J., 32
Beck, L. R., 39
Beier, J. C., 608, 613
Belton, P., 458
Ben-Yakir, D., 74
Benabdennbi, I., 265
Bergan, J. F., 467, 828
Bertrand, M. R., 619
Black IV, W. C., 78
Blackwell, A., 504, 856
Blanco, A., 531, 894
Blouin, E. F., 656, 911
Bombard, S., 265
Bottazzi, M. V., 635
Boyce, W. M., 835
Braverman, Y., 265
Brooks, D. L., 1
Brown, R. N., 319
Brown, S. E., 871
Brust, R. A., 402
Burge, R., 511
Butler, J. F., 216, 901
Byrd, J. H., 901

C

Callister, S. M., 379
Carrara, G. C., 939
Carroll, J. F., 554, 640, 921, 971
Cecere, M. C., 15
Cepeda, O. M., 90
Chadee, D. D., 686
Chambers, C. M., 11
Chambers, G. M., 372
Chaniotis, B., 269
Charlwood, J. D., 202
Cheffort, J., 516
Chemini, C., 888
Chen, C.-P., 706
Chen, W.-J., 212
Chesang, R., 559
Chiles, R. E., 433
Chuang, Y.-Y., 445
Chuit, R., 15
Cohen, J. E., 15
Collins, F. H., 109, 952
Colwell, D. D., 946
Contel, E.P.B., 726
Cook, B. J., 496
Coosemans, M., 545
Cornel, A. J., 109, 952
Cruz, M.D.S., 586
Cupp, E. W., 173
Cupp, M. S., 173
Curran, K. L., 140

D

Dabo, I., 939
Daniels, T. J., 140
Darwish, Z.E.A., 783
Davidson, W. R., 153
Dawar, H., 195
Dawson, J. E., 153
Day, J. F., 132
Denicola, A. J., 183
De Sousa, G. B., 531, 894
Dhar, R., 195
Dhileepan, K., 180
Diallo, M., 760
Di Deco, M. A., 939
Digoutte, J.-P., 760
Dinardo-Miranda, L. L., 726
Dippold, J. S., 257
Dister, S. W., 39
Dohm, D. J., 848
Donahue, W. A., 721
Do Rosario, V., 939
Dos Reis, S. F., 537
Dotson, E. M., 11
Dubinina, H. V., 351
Dumler, J. S., 1
Durden, L. A., 297

E

Eamsila, C., 990
Edman, J. D., 812
Edoh, D., 202
Edwards, W. L., 656
Eikarat, N., 511
Eisinger, S. W., 955
El-Ghaffar, H. A., 566
El-Kady, E. M., 566
Essuman, S., 559
Eyraud, M., 760

F

Falco, R. C., 140
Fernandez-Salas, I., 683
Fish, D., 140
Fonseca, L. F., 939
Fontenille, D., 760
Forrester, D. J., 96
Foster, G. W., 96
Fouque, F., 32
Fox, A. S., 402
Frances, S. P., 232, 511, 990
Francy, D. B., 598
Furlanello, C., 888

G

Gajate, P. P., 635
Gallego, J., 278
Galun, R., 74, 979
Garc, S., 195
Gardenal, C. N., 531, 894
Gardner, I. A., 835
Gaydon, D. M., 128
Gbur, E. E., 983
Ge, N.-L., 656, 911
George, J. E., 385
Gern, L., 189
Gibson, C. A., 180
Glass, G. E., 628
Goddard, J., 128
Godoy, W.A.C., 537
Gordon, S. C., 398
Gray, P. N., 772
Grayson, M. A., 421
Greenberg, B., 566
Gregory, L. M., 395
Guberman, D., 979
Gürtler, R. E., 15

H

Hájek, V., 766
Hakre, S., 205
Halouzka, J., 766
Hamilton, J.G.C., 734, 743
Hammack, L., 859
Harding, G., 177
Hardy, J. L., 433
Harmel, D. E., 385
Harrison, S. J., 734, 743
Hartig, P., 598
Hasan, M., 169
Hazler, K. R., 90
Hernandez, J. E., 39
Hesler, L. S., 859
Higgins, J. A., 482, 490
Hildebrandt, D. W., 511
Hirano, M., 819
Hoc, T. Q., 286, 290
Howard, J. J., 421
Hu, R., 866
Hubálek, Z., 766
Hunt, G. J., 271
Hutcheson, H. J., 297

I

Ibáñez-Bernal, S., 988
Ibrahim, M. S., 955
Ikeda, H., 906
Imoto, N., 906
Ioffe-Uspensky, I., 979
Isoyama, S., 906

J

Jackson, L. K., 128
Jaenson, T.G.T., 339, 592, 805
Jahren, E., 458
James, A. A., 645
Jaramillo, C., 278
Jaworski, D. C., 482, 490, 706
Jetten, T. H., 361
Jiménez, A., 894
Johnson, D. A., 863
Jones, S. R., 27
Jordan, R. A., 963

K

Karabotsos, N., 598
Karris, K., 852
Kawada, H., 819
Keever, G. J., 926
Keirans, J. E., 78, 297, 319
Keysary, A., 979
Khalil, G. M., 783
Khan, K., 689
Khlaimanee, N., 232
Kimsey, R. B., 1
Kitaura, H., 702
Kleider, N., 458
Klein, T. A., 511, 990
Klich, M., 581
Klompen, J.S.H., 78, 297
Klowden, M. J., 372
Knudson, D. L., 871
Kocan, K. M., 656, 911
Koella, J. C., 261
Krafsur, E.S., 877
Kulasekera, R., 777
Kunz, S. E., 27, 49, 220, 976
Kurtti, T. J., 656

L

Lane, R. S., 319, 355
Lang, J. D., 790
Lange, H., 458
Lankester, M. W., 581
Lardeux, F., 516
Lavender, D. R., 224
Lee, Jr., R. E., 706
Leprince, D. J., 355
Lindquist, D. A., 877
Linthicum, K. J., 848, 990
LLano, R., 278
Lloyd, C. M., 734, 743
Lockhart, J. M., 153
Logan, T. M., 848
Longnecker, M. T., 63
Lord, C. C., 328
Lyimo, E. O., 261
Lyon, S. M., 812

M

Mack, T. P., 926
Madeira, N. G., 839
Madigan, J. E., 1
Magnarelli, L. A., 183
Maiga, A., 760
Mair, J., 856
Manguin, S., 205
Martens, W.J.M., 361
Maruyama, K., 698
Marzouk, A. S., 783
Mather, T. N., 711, 866
McAllister, J. C., 983
McCall, P. J., 177
McCown, J. W., 96
McCray, D. G., 398
McGuire, K., 734, 743
McLaughlin, G. S., 96
McLean, R. G., 165
Meek, C. L., 665, 952
Mellor, P. S., 328, 504
Meola, R., 670
Meola, R. W., 721
Meola, S. M., 473, 670
Mercer, D. R., 159
Merler, S., 888
Metzger, M. E., 651
Mijares, A. S., 680
Miller, J., 979
Miller, J. A., 385

Miller, N. J., 866
Mills, Jr., G. D., 640
Milton, K., 946
Miyagi, I., 53, 169
Mogi, M., 53, 169, 438
Mohamed, F.S.A., 783
Mohammed, R. T., 686
Mollet, J. A., 844
Mondo, M., 760
Monroy, A. M., 449
Montero, A. S., 680
Montoya, J., 278
Morales-Malacara, J. B., 148
Mordue, W., 504
Morgan, W. T., 398
M ri, T., 702
Mumcuoglu, K. Y., 74, 979
Munderloh, U. G., 656
Murphy, G. L., 911
Muteria, P., 559

N

Nawrocki, S. J., 123
Need, J. T., 216
Needham, G. R., 63, 706
Nelson, D. M., 835
Nettles, V. F., 117
Newberry, L. A., 983
Nicholls, T. H., 379
Nichols, R., 473
Nicholson, M. C., 711, 866
Nicolini, G., 888
Noguchi, E., 906
Noigamol, C., 511
Norris, D. E., 78
Novak, R. J., 123
Nunamaker, R. A., 871
Nyindo, M., 559

O

Ochanda, J. O., 74
Oehler, D. D., 385
Okura, N., 702
Oliver, J., 421
Oliver, Jr., J. H., 11, 224
Ostfeld, R. S., 90

P

Paskewitz, S. M., 165, 933
Pence, D. B., 244, 467, 772, 828
Pendleton, M. W., 473
Perez-Eid, C., 694
Peson, B., 265
Peterson II, R. D., 413
Petrarca, V., 939
Picollo, M. I., 823
Pietrokovsky, S. M., 635
Pilakasiri, C., 990
Pinger, R. R., 852
Platt, K. B., 6
Popiel, I., 250
Porter, C. H., 109
Postic, D., 694
Pound, J. M., 385
Powell, E. E., 598
Presser, S. B., 433
Pruett, J. H., 49, 220, 976
Pryor, N. W., 496
Pullen, S., 670

R

Radulovic, S., 482, 490
Rahamim, E., 74
Rais, O., 189
Ramasamy, M. S., 162, 777
Ramasamy, R., 162, 777
Randle, Y. H., 123
Raschid, L., 162
Rawlings, P., 328
Rebollar-Tellez, E. A., 683
Reese, N. E., 835
Reisen, W. K., 433
Rejmankova, E., 39, 205
Reyes-Villanueva, F., 683
Ribeiro, J.M.C., 173
Richter, Jr., P. J., 1
Riehle, M., 933
Roberts, D., 525
Roberts, D. R., 39, 205
Roberts, J., 177
Robinson, W. H, 844
Robles, M.C.V., 586
Rodhain, F., 694
Rodriguez, A. D., 39
Rodriguez, M. H., 39
Roehrdanz, R. L., 863
Roelants, P., 545
Rosales, J. R., 680
Rossi, C. A., 848
Rowley, W. A., 6
Rust, M. K., 651
Rutledge, C. R., 952

S

Sanders, M. L., 628
Schaub, G. A., 286
Schmidtmann, E. T., 554, 640, 921
Schofield, S. W., 102
Schulze, T. L., 963
Schwartz, B. S., 628
Scott, A. L., 628, 955
Scott, T. W., 449
Shibasaki, M., 906
Shiraishi, S., 702
Shoop, W. L., 395
Siegel, J. P., 123
Silverman, A. L., 398
Skeeles, J. K., 983
Smith, K. E., 117, 507
Smith, L. M., 926
Smith, T. W., 165
Smits, A., 545
Spalding, M. G., 244
Srikrishnaraj, K. A., 162, 777
Sripongsai, B., 511
Stafford III, K. C., 183
Stallknecht, D. E., 117, 153, 507
Stark, K. R., 645
Stark, L. M., 132
Steelman, C. D., 983
Straif, S. C., 608
Strey, O. F., 63, 721
Sugiyama, A., 698
Suleman, M., 689
Sutcliffe, J. F., 102
Syafruddin, 53, 169
Szalanski, A. L., 413
Szumlas, D. E., 598

T

Tabachnick, W. J., 271
Takagi, M., 698
Takeda, K., 906
Takita, H., 906
Takken, W., 361
Tälleklint, L., 339, 592, 805
Talwar, G. P., 195
Tantawi, T. I., 566
Taylor, D. B., 413
Teel, P. D., 63, 721
Teixeira, M. A., 537
Telford, Jr., S. R., 96
Tessmer, J. W., 665
Thomas, G., 586
Thomas, R. E., 250
Timmons, L., 852
Toma, T., 169
Traoré-Lamizana, M., 760
Travi, B. L., 278
Tselentis, Y., 269
Turell, M. J., 848

V

Van Bortel, W., 545
Van Driesche, R. G., 812
Vandyk, J. K., 6
Vassena, C. V., 823
Vaughan, J. A., 482
Vazquez, D. P., 15
Velasco-Castrejón, O., 988
Velez, I. D., 278
Vodkin, M. H., 123
Von Zuben, C. J., 537
Von Zuben, F. J., 537
Vyszenski-Moher, D. L., 236

W

Walker, A. R., 734, 743
Walker, E. D., 165, 398
Wallenfels, L., 250
Washino, R. K., 344
Weber, B. A., 449
Wekesa, J. W., 344
West, M. S., 926
White, D. J., 421
Wilson, M. L., 619
Wirtz, R. A., 990
Wirtz, R. W., 511
Wisnivesky-Colli, C., 635
Woolhouse, M.E.J., 328
Wozniak, E. J., 216
Wright, M. S., 473
Wu, K. W., 581

Y

Yang, C.-H., 212
Yeh, C.-C., 445
Yuval, B., 344

Z

Zakson-Aiken, M., 395
Zam, S. G., 216
Zeller, H. G., 760
Zerba, E. N., 58, 823
Zhioua, E., 694

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 33, 1996

(2-hydroxymethylcyclohexyl) acetic acid lactone, *Anopheles dirus*, 511
diethyl methylbenzamide, 511
20-hydroxyecdysone, acarine, 11
ecdysone, 11

A

abundance, *Anopheles albimanus*, 39
Anopheles freeborni, 344
Culex tarsalis, 344
landscape, 39
Acari, fixation, 835
hypoderatid deutonymphs, 244, 467, 772, 828
Macronyssidae, 148
new species, 244
new species description, 467
Parichoronyssus, 148
Psoroptes, 835
species redescription, 772, 828
acarine, 20-hydroxyecdysone, 11
ecdysone, 11
actin, Aedes aegypti, 955
mosquito, 955
active dispersal, *Ixodes scapularis*, 554
release/recapture, 554
adult mosquitoes, *Aedes*, 53
Stegomyia, 53
adults, habitats, 963
Ixodes scapularis, 963
Aedes, adult mosquitoes, 53
epidemics, 760
Stegomyia, 53
yellow fever, 760
Aedes aegypti, actin, 955
Aedes albopictus, 398
allozyme variability, 726
Anopheles stephensi, 398
genetic similarity, 726
host location, 177
introduction in tires, 689
kairomones, 177
Landi Kotal, 689
mosquito, 955
Aedes albifasciatus, allozymic variability, 531
enzyme polymorphism, 894
gene flow, 894
heterozygosity, 531
Aedes albopictus, *Aedes aegypti*, 398
Anopheles stephensi, 398
Ascogregarina taiwanensis, 212
autogeny, 372
developmental synchrony, 212
reproduction, 372
Aedes camptorhynchus, Ross River Virus, 180
Sindbis virus, 180
Aedes polymesiensis, infective larvae, 516
Wuchereria bancrofti, 516
Aedes taeniorhynchus, larval control, 680
Romanomermis iyengari, 680
Aedes triseriatus, La Crosse virus, 598
mosquito abundance, 598
Aedes vexans, delay, 32
population dynamics, 32
African horse sickness, *Culicoides imicola*, 328
simulation models, 328
age-structure, *Lutzomyia cruciata*, 683
vector ecology, 683
allozyme variability, *Aedes aegypti*, 726
Aedes albifasciatus, 531
genetic similarity, 726
heterozygosity, 531
Alouattamyia baeri, howler monkeys, 946
Panama, 946
alphavirus, arbovirus, 449
Culiseta melanura, 449
Alphitobius diaperinus, *Escherichia coli* transmission, 983
poultry, 983
Amblyomma americanum, antibody response, 628
cold-hardiness, 706
Ehrlichia chaffeensis, 153
ivermectin systemic acaricide, 385
Ixodidae, 128
salivary gland, 628
seasonality, 128
tick, 706
tick control, 385
white-tailed deer, 153
Amblyomma cajennense, survival, 63
water-balance, 63
Anaplasma marginale, *Dermacentor andersoni*, 911
tick, 911
anaplasmosis, hemoparasite, 656
Ixodes scapularis, 656
anatomy, integument, 734
Rhipicephalus appendiculatus, 734
Anopheles,

gonotrophic cycle, 195
malaria, 990
mosquitoes, 990
oviposition, 195
Anopheles albimanus,
abundance, 39
Anopheles darlingi, 205
landscape, 39
larval habitats, 205
Anopheles aquasalis,
fecundity, 686
oviposition rhythms, 686
Anopheles darlingi,
Anopheles albimanus, 205
larval habitats, 205
Anopheles dirus, (2-hydroxymethylcyclohexyl)
acetic acid lactone, 511
diethyl methylbenzamide, 511
Anopheles freeborni,
abundance, 344
Culex tarsalis, 344
Anopheles funestus,
Anopheles gambiae, 613
blood feeding, 613
Anopheles gambiae,
Anopheles funestus, 613
Anopheles melas, 939
blood feeding, 608, 613
body weight, 261
chromosomal inversions, 939
sugar feeding, 608
wing length, 261
Anopheles gambiae complex, behavior, 545
enzyme polymorphisms, 545
larvae distribution, 202
Tanzania, 202
Anopheles melas,
Anopheles gambiae, 939
chromosomal inversions, 939
Anopheles quadrimaculatus,
polymerase chain reaction, 102, 952
ribosomal DNA, 109
sibling species, 952
Anopheles stephensi,
Aedes aegypti, 398
Aedes albopictus, 398
Anopheles tessellatus,
antimosquito antibodies, 162
peritrophic membrane formation, 162
Plasmodium falciparum, 777
Plasmodium vivax, 777
antibody response,
Amblyomma americanum, 628
salivary gland, 628
anticoagulant,
mosquitoes, 645
saliva, 173
salivary glands, 645
Simulium vittatum, 173
antigen localization,
immunofluorescence, 74
Pediculus humanus humanus, 74
antimosquito antibodies,
Anopheles tessellatus, 162
peritrophic membrane formation, 162
Arachnida, mortality, 6
temperature, 6
arboviral transmission,
encephalitis virus, 132
sentinel chickens, 132
arbovirus, alphavirus, 449
Culiseta melanura, 449
arbovirus surveillance,
Culiseta melanura, 421
EEE virus foci, 421
Argas, Argasidae, 783
Ixodidea, 783
Argasidae, *Argas*, 783
Ixodidea, 783
arthropod succession,
Calliphoridae, 566
Sarcophagidae, 566
Ascogregarina taiwanensis, *Aedes albopictus*, 212
developmental synchrony, 212
attractants, nitrogenous compounds, 236
phenylpropanoids, 859
Sarcoptes scabiei, 236
Stomoxys calcitrans, 859
attractiveness,
black flies, 102
simuliidae, 102
autogeny, *Aedes albopictus*, 372
reproduction, 372

B

Babesia microti, *Ixodes scapularis*, 866
spatial distribution, 866
Baronella henselae,
cat fleas, 490
Ctenocephalides felis, 490
barrier, blacklegged tick, 921
dispersal, 921
behavior, *Anopheles gambiae* complex, 545
enzyme polymorphisms, 545
biocontainment,
Culicoides variipennis sonorensis, 271
exotic bluetongue viruses, 271
birds, *Borrelia garinii*, 766
Ixodes ricinus, 766
biting midge, *Culicoides nubeculosus*, 856
mating behavior, 856
black flies, attractiveness, 102
simuliidae, 102

blacklegged tick, barrier, 921
dispersal, 921
kairomone, 640
migratory birds, 581
Ontario, 581
white-tailed deer, 640
blood feeding, *Anopheles funestus*, 613
Anopheles gambiae, 608, 613
sugar feeding, 608
body weight, *Anopheles gambiae*, 261
wing length, 261
Borrelia, hares, 339
Ixodes, 339
Ixodes ricinus, 805
spirochetes tick density, 805
Borrelia burgdorferi, *Borrelia garinii*, 694
cofeeding transmission, 189
Haemaphysalis leporispalustris, 379
Ixodes dammini, 379
Ixodes ricinus, 189, 592, 694
Ixodes scapularis, 165
seasonality, 592
white-footed mice, 165
borreliae, maintenance, 351
tick sexual partners, 351
Borrelia garinii, birds, 766
Borrelia burgdorferi, 694
Ixodes ricinus, 694, 766

C

Calliphoridae, arthropod succession, 566
Cochliomyia macellaria, 901
dispersal, 665
fly larvae, 665
insect development, 901
Sarcophagidae, 566
calreticulin, flea, 482
Siphonaptera, 482
cat flea, *Baronella henselae*, 490
Ctenocephalides felis, 490
methoprene, 819
pyriproxyfen, 670, 819
toxicity, 670
cattle, *Hypoderma lineatum*, 49, 220
resistance, 49
warble stage, 220
Ceratopogonidae, *Culicoides* hypersensitivity, 458
insect bites, 458
Chagas disease, epidemiology, 15
Triatoma infestans, 15
chromosomal inversions, *Anopheles gambiae*, 939
Anopheles melas, 939
chromosomes, *Culicoides variipennis*, 871
genome, 871
Chrysomya megacephala, *Chrysomya putoria*, 537
Cochliomyia macellaria, 537
Chrysomya putoria, *Chrysomya megacephala*, 537
Cochliomyia macellaria, 537
cis-maleamates, feeding inhibition, 823
Triatoma infestans, 823
cis-permethrin, deltamethrin, 58
Triatoma infestans, 58
classifications and regression trees, *Ixodes ricinus*, 888
ticks, 888
climate change, malaria, 361
vectorial capacity, 361
Cochliomyia hominivorax, *Cochliomyia macellaria*, 863
mitochondrial DNA, 863
screwworm eradication, 877
sterile insect technique, 877
Cochliomyia macellaria, Calliphoridae, 901
Chrysomya megacephala, 537
Chrysomya putoria, 537
Cochliomyia hominivorax, 863
insect development, 901
mitochondrial DNA, 863
cofeeding transmission, *Borrelia burgdorferi*, 189
Ixodes ricinus, 189
cold-hardiness, *amblyomma americanum*, 706
tick, 706
Colombia, *Lutzomyia evansi*, 278
visceral leishmaniases, 278
colonization, *Culicoides impunctatus*, 504
membrane feeding, 504
sylvatic triatomines, 635
Triatoma guasayana, 635
Crimean-Congo hemorrhagic fever virus, *Hyalomma impeltatum*, 848
vector competency, 848
Ctenocephalides felis, *Baronella henselae*, 490
cat fleas, 490
egg production, 651
fecundity, 250
parthenogenesis, 395
photoperiod, 651
reproductive strate-

gies, 395
viability, 250
Culex pipiens complex, polymerase chain reaction, 123
St. Louis encephalitis virus, 123
Culex tarsalis, abundance, 344
Anopheles freeborni, 344
vector competence, 433
western equine encephalomyelitis virus, 433
Culex tritaeniorhynchus adults, lycosid spiders, 698
survival, 698
Culicoides, hemorrhagic disease, 507
Odocileus virginianus, 507
Culicoides hypersensitivity, Ceratopogonidae, 458
insect bites, 458
Culicoides imicola, African horse sickness, 328
simulation models, 328
Culicoides impunctatus, colonization, 504
membrane feeding, 504
Culicoides lahillei, *Culicoides variipennis*, 117
Odocileus virginianus, 117
Culicoides nubeculosus, biting midge, 856
mating behavior, 856
Culicoides variipennis, chromosomes, 871
Culicoides lahillei, 117
genome, 871
Odocileus virginianus, 117
Culicoides variipennis sonorensis, biocontainment, 271
exotic bluetongue viruses, 271
Culiseta imornata, dilatation, 402
parity, 402
Culiseta melanura, alphavirus, 449
arbovirus, 449
arbovirus surveillance, 421
EEE virus foci, 421

D

delay, *Aedes vexans*, 32
population dynamics, 32
deltamethrin, *cis*-permethrin, 58
Triatoma infestans, 58
Dermacentor andersoni, *Anaplasma marginale*, 911
tick, 911
Dermatophagoides, dispersal, 844
house dust mites, 844
Dermatophagoides farinae, development, 257
fecundity, 257
development, *Dermatophagoides farinae*, 257
fecundity, 257
developmental synchrony, *Aedes albopictus*, 212
Ascogregarina taiwanensis, 212
diethyl methylbenzamide, (2-hydroxymethylcyclohexyl) acetic acid lactone, 511
Anopheles dirus, 511
dilatation, *Culiseta imornata*, 402
parity, 402
diptera, miyasigen, 586
Wohlfahrtia magnifica, 586
disease, *Ehrlichia*, 1
Ixodes, 1
dispersal, barrier, 921
blacklegged tick, 921
Calliphoridae, 665
Dermatophagoides, 844
fly larvae, 665
house dust mites, 844

E

ecdysone, 20-hydroxyecdysone, 11
acarine, 11
ectoparasites, Florida, 96
white-tailed deer, 96
EEE virus foci, arbovirus surveillance, 421
Culiseta melanura, 421
egg hatch, *Hypoderma lineatum*, 976
thermal environment, 976
egg production, *Ctenocephalides felis*, 651
photoperiod, 651
Ehrlichia, disease, 1
Ixodes, 1
Ehrlichia chaffeensis, *Amblyomma americanum*, 153
white-tailed deer, 153
encephalitis virus, arboviral transmission, 132
sentinel chickens, 132
enzyme polymorphism, *Aedes albifasciatus*, 894
Anopheles gambiae complex, 545
behavior, 545
gene flow, 894
epidemics, *Aedes*, 760
yellow fever, 760
epidemiology, Chagas

disease, 15
Triatoma infestans, 15
Escherichia coli transmission, *Alphitobius diaperinus*, 983
poultry, 983
exotic bluetongue viruses, biocontainment, 271
Culicoides variipennis sonorensis, 271

F

factors, seasonal abundance, 790
sylvatic fleas, 790
fecundity, *Anopheles aquasalis*, 686
Ctenocephalides felis, 250
Dermatophagoides farinae, 257
development, 257
juvenile hormone analog, 721
ovicide, 721
oviposition rhythms, 686
viability, 250
feeding inhibition, *cis*-maleamates, 823
Triatoma infestans, 823
fixation, Acari, 835
Psoroptes, 835
flea, calreticulin, 482
Lyme disease, 355
Siphonaptera, 482
ticks, 355
Florida, ectoparasites, 96
white-tailed deer, 96
fly larvae, Calliphoridae, 665
dispersal, 665
Forcipomyia taiwana, laboratory colonization, 445
life history, 445

G

gene flow, *Aedes albifasciatus*, 894
enzyme polymorphism, 894
genetic similarity, *Aedes aegypti*, 726
allozyme variability, 726
genome, chromosomes, 871
Culicoides variipennis, 871
geographic information system, *Ixodes scapularis*, 711
spatial analysis, 711
geographical variation, *Ixodes scapularis*, 297
redescription, 297
glial cells, neurosecretion, 496
stable fly, 496
global warming, mosquito, 438
overwintering, 438
gonotrophic cycle, *Anopheles*, 195
oviposition, 195
Greece, *Phlebotomus*, 269
water wells, 269

H

habitats, adults, 963
Ixodes scapularis, 963
Haemaphysalis longicornis, *Borrelia burgdorferi*, 379
integument, 702
Ixodes dammini, 379
ixodid tick, 702
Haematobia irritans, immersion, 27
preimaginal stages, 27
Halmahela, Indonesia, 169
Stegomyia, 169
hares, *Borrelia*, 339
Ixodes, 339
hematophagous Diptera, ovarian oil injection technique, 290
ovariolar separation technique, 290
hemoparasite, anaplasmosis, 656
Ixodes scapularis, 656
hemorrhagic disease, *Culicoides*, 507
Odocileus virginianus, 507
heterozygosity, *Aedes albifasciatus*, 531
allozymic variability, 531
Horn fly, immunocytochemistry, 473
stable fly, 473
host location, *Aedes aegypti*, 177
kairomones, 177
host-parasite associations, Ixodidae, 224
ticks, 224
host-seeking, *Ixodes scapularis*, 971
vertical distribution, 971
house dust mite, Dermatophagoides, 844
dispersal, 844
liquid nitrogen, 906
mite controlling measures, 906
howler monkeys, *Alouattamyia baeri*, 946
Panama, 946
Hyalomma impeltatum, Crimean-Congo hemorrhagic fever virus, 848
vector competency, 848
hypoderatid deutonymphs, Acari, 244, 467, 772, 828
new species, 244
new species description, 467
species redescription, 772, 828
Hypoderma lineatum, cattle, 49, 220
egg hatch, 976

resistance, 49
thermal environment, 976
warble stage, 220

I

immature descriptions, *Ixodes jellisoni*, 319
Ixodes neotomae, 319
immersion, *Haematobia irritans*, 27
preimaginal stages, 27
immunocytochemistry, Horn fly, 473
stable fly, 473
immunofluorescence, antigen localization, 74
Pediculus humanus humanus, 74
Indonesia, Halmahela, 169
Stegomyia, 169
infective larvae, *Aedes polymesiensis*, 516
Wuchereria bancrofti, 516
insect bites, Ceratopogonidae, 458
Culicoides hypersensitivity, 458
insect development, Calliphoridae, 901
Cochliomyia macellaria, 901
integument, anatomy, 734
Haemaphysais longicornis, 702
ixodid tick, 702
Rhipicephalus appendiculatus, 734, 743
secretory glands, 743
introduction in tires, *Aedes aegypti*, 689
Landi Kotal, 689
isozymes, population genetics, 413
Stomoxys calcitrans, 413
ivermectin systemic acaricide, *Amblyomma americanum*, 385
tick control, 385
Ixodes, *Borrelia*, 339
disease, 1
Ehrlichia, 1
hares, 339
Ixodes dammini, *Borrelia burgdorferi*, 379
Haemaphysalis leporispalustris, 379
Ixodes jellisoni, immature descriptions, 319
Ixodes neotomae, 319
Ixodes neotomae, immature descriptions, 319
Ixodes jellisoni, 319
Ixodes ricinus, birds, 766
Borrelia, 805
Borrelia burgdorferi, 189, 592, 694
Borrelia garinii, 694, 766
classifications and regression trees, 888
cofeeding transmission, 189
seasonality, 592
spirochetes tick density, 805
ticks, 888
Ixodes scapularis, active dispersal, 554
adults, 963
anaplasmosis, 656
Babesia microti, 866
Borrelia burgdorferi, 165
geographic information system, 711
geographical variation, 297
habitats, 963
hemoparasite, 656
host-seeking, 971
Ixodiphagus hookeri, 183
larval eclosion, 138
Lyme disease, 183, 852
microclimate, 619
mitochondrial DNA, 78
Peromyscus leucopus, 812
recruitment, 812
redescription, 297
release/recapture, 554
reproduction, 138
single strand conformation polymorphism, 78
spatial analysis, 711
spatial distribution, 866
tick, 852
tick population biology, 619
vertical distribution, 971
white-footed mice, 165
white-tailed deer, 933
Wisconsin, 933
Ixodidae, *Amblyomma americanum*, 128
Argas, 783
Argasidae, 783
host-parasite associations, 224
seasonality, 128
ticks, 224
ixodid tick, *Haemaphysais longicornis*, 702
integument, 702
Ixodiphagus hookeri, *Ixodes scapularis*, 183
Lyme disease, 183

J, K

juvenile hormone analog, fecundity, 721
ovicide, 721
kairomone, *Aedes aegypti*, 177
blacklegged tick, 640
host location, 177
white-tailed deer, 640

L
laboratory colonization, *Forcipomyia taiwana*, 445
life history, 445
La Crosse virus, *Aedes triseriatus*, 598
mosquito abundance, 598
Landi Kotal, *Aedes aegypti*, 689
introduction in tires, 689
landscape, abundance, 39
Anopheles albimanus, 39
larvae distribution, *Anopheles gambiae* complex, 202
Tanzania, 202
larval control, *Aedes taeniorhynchus*, 680
Romanomermis iyengari, 680
larval eclosion, *Ixodes scapularis*, 138
reproduction, 138
larval habitats, *Anopheles albimanus*, 205
Anopheles darlingi, 205
larval survival salinity, mosquitoes, 525
oviposition preference, 525
Leptotrombidium deliense, *Leptotrombidium fletcheri*, 232
Trombiculidae, 232
Leptotrombidium fletcheri, *Leptotrombidium deliense*, 232
Trombiculidae, 232
life history, *Forcipomyia taiwana*, 445
laboratory colonization, 445
liquid nitrogen, house dust mite, 906
mite controlling measures, 906
Lutzomyia cruciata, age-structure, 683
vector ecology, 683
Lutzomyia evansi, Colombia, 278
visceral leishmaniases, 278
lycosid spiders, *Culex tritaeniorhynchus* adults, 698
survival, 698
Lyme disease, fleas, 355
Ixodes scapularis, 183, 852
Ixodiphagus hookeri, 183
tick, 355, 852
tick ecology, 90
tick population dynamics, 90

M
Macronyssidae, Acari, 148
Parichoronyssus, 148
maintenance, borreliae, 351
tick sexual partners, 351
malaria, *Anopheles*, 990
climate change, 361
mosquitoes, 990
vectorial capacity, 361
mating behavior, biting midge, 856
Culicoides nubeculosus, 856
Mediterranean spotted fever, *Rhipicephalus sanguineus*, 979
Rickettsia conorii, 979
membrane feeding, colonization, 504
Culicoides impunctatus, 504
methoprene, cat flea, 819
pyriproxyfen, 819
microclimate, *Ixodes scapularis*, 619
tick population biology, 619
migratory birds, blacklegged tick, 581
Ontario, 581
mite controlling measures, house dust mite, 906
liquid nitrogen, 906
mitochondrial DNA, *Cochliomyia hominivorax*, 863
Cochliomyia macellaria, 863
Ixodes scapularis, 78
Phaenicia eximia, 839
primary myiasis, 839
single strand conformation polymorphism, 78
miyasigen, diptera, 586
Wohlfahrtia magnifica, 586
monoclonal antibodies, *Ornithodoros* spp., 216
salivary antigens, 216
mortality, Arachnida, 6
temperature, 6
mosquito, actin, 955
Aedes aegypti, 955
Anopheles, 990
anticoagulant, 645
global warming, 438
larval survival salinity, 525
malaria, 990
overwintering, 438
oviposition preference, 525
salivary glands, 645
mosquito abundance, *Aedes triseriatus*, 598
La Crosse virus, 598

N
neurosecretion, glial cells, 496
stable fly, 496
new species, Acari, 244
hypoderatid

deutonymphs, 244
new species description, Acari, 467
hypoderatid deutonymphs, 467
nitrogenous compounds, attractants, 236
Sarcoptes scabiei, 236

O

Odocileus virginianus, *Culicoides*, 507
Culicoides lahillei, 117
Culicoides variipennis, 117
hemorrhagic disease, 507
Ontario, blacklegged tick, 581
migratory birds, 581
Ornithodoros spp., monoclonal antibodies, 216
salivary antigens, 216
ovarian follicles, Poisson regression, 926
resorption body, 926
ovarian oil injection technique, hematophagous Diptera, 290
ovariolar separation technique, 286, 290
physiological age, 286
ovariolar separation technique, hematophagous Diptera, 290
ovarian oil injection technique, 286, 290
physiological age, 286
overwintering, global warming, 438
mosquito, 438
ovicide, fecundity, 721
juvenile hormone analog, 721
oviposition, *Anopheles*, 195
gonotrophic cycle, 195
oviposition preference, larval survival
salinity, 525
mosquitoes, 525
oviposition rhythms, *Anopheles aquasalis*, 686
fecundity, 686

P

Panama, *Alouattamyia baeri*, 946
howler monkeys, 946
Parichoronyssus, Acari, 148
Macronyssidae, 148
parity, *Culiseta imornata*, 402
dilatation, 402
parthenogenesis, *Ctenocephalides felis*, 395
reproductive strategies, 395
Pediculus humanus humanus, antigen localization, 74
immunofluorescence, 74
peritrophic membrane formation, *Anopheles tessellatus*, 162
antimosquito antibodies, 162
Peromyscus leucopus, *Ixodes scapularis*, 812
recruitment, 812
Phaenicia eximia, mitochondrial DNA, 839
primary myiasis, 839
pharyngeal armatures, sandflies, 265
Sergentomyia, 265
phenolics, tannis, 159
treehole mosquito, 159
phenylpropanoids, attractants, 859
Stomoxys calcitrans, 859
Phlebotomus, Greece, 269
water wells, 269
photoperiod, *Ctenocephalides felis*, 651
egg production, 651
physiological age, ovarian oil-injection technique, 286
ovariolar separation technique, 286
Plasmodium falciparum, *Anopheles tessellatus*, 777
Plasmodium vivax, 777
Plasmodium vivax, *Anopheles tessellatus*, 777
Plasmodium falciparum, 777
Poisson regression, ovarian follicles, 926
resorption body, 926
polymerase chain reaction, *Anopheles quadrimaculatus*, 109, 952
Culex pipiens complex, 123
ribosomal DNA, 109
sibling species, 952
St. Louis encephalitis virus, 123
population dynamics, *Aedes vexans*, 32
delay, 32
population genetics, isozymes, 413
Stomoxys calcitrans, 413
poultry, *Alphitobius diaperinus*, 983
Escherichia coli transmission, 983
preimaginal stages, *Haematobia irritans*, 27
immersion, 27
primary myiasis, mitochondrial DNA, 839
Phaenicia eximia, 839
Psoroptes, Acari, 835
fixation, 835
pyriproxyfen, cat flea, 670, 819
methoprene, 819

toxicity, 670

R

recruitment, *Ixodes scapularis*, 812
Peromyscus leucopus, 812
redescription, geographical variation, 297
Ixodes scapularis, 297
release/recapture, active dispersal, 554
Ixodes scapularis, 554
reproduction, *Aedes albopictus*, 372
autogeny, 372
Ixodes scapularis, 138
larval eclosion, 138
reproductive strategies, *Ctenocephalides felis*, 395
parthenogenesis, 395
resistance, cattle, 49
Hypoderma lineatum, 49
resorption body, ovarian follicles, 926
Poisson regression, 926
Rhipicephalus appendiculatus, anatomy, 734
integument, 734, 743
secretory glands, 743
tick immunity, 559
tick resistance, 559
Rhipicephalus sanguineus, Mediterranean spotted fever, 979
Rickettsia conorii, 979
ribosomal DNA, *Anopheles quadrimatulatus*, 109
polymerase chain reaction, 109
Rickettsia conorii, Mediterranean spotted fever, 979
Rhipicephalus sanguineus, 979
Romanomermis iyengari, *Aedes taeniorhynchus*, 680
larval control, 680
Ross River Virus, *Aedes camptorhynchus*, 180
Sindbis virus, 180

S

saliva, anticoagulant, 173
Simulium vittatum, 173
salivary antigens, monoclonal antibodies, 216
Ornithodoros spp., 216
salivary gland, *Amblyomma americanum*, 628
antibody response, 628
anticoagulant, 645
mosquitoes, 645
sandflies, pharyngeal armatures, 265
Sergentomyia, 265
Sarcophagidae, arthropod succession, 566
Calliphoridae, 566
Sarcoptes scabiei, attractants, 236
nitrogenous compounds, 236
screwworm eradication, *Cochliomyia hominivorax*, 877
sterile insect technique, 877
seasonal abundance, factors, 790
sylvatic fleas, 790
seasonality, *Amblyomma americanum*, 128
Borrelia burgdorferi, 592
Ixodes ricinus, 592
Ixodidae, 128
secretory glands, integument, 743
Rhipicephalus appendiculatus, 743
sentinel chickens, arboviral transmission, 132
encephalitis virus, 132
Sergentomyia, pharyngeal armatures, 265
sandflies, 265
sibling species, *Anopheles quadrimaculatus*, 952
polymerase chain reaction, 952
simulation models, African horse sickness, 328
Culicoides imicola, 328
simuliidae, attractiveness, 102
black flies, 102
Simulium vittatum, anticoagulant, 173
saliva, 173
Sindbis virus, *Aedes camptorhynchus*, 180
Ross River Virus, 180
single strand conformation polymorphism, *Ixodes scapularis*, 78
mitochondrial DNA, 78
Siphonaptera, calreticulin, 482
flea, 482
Tunga penetrans, 988
Tungidae, 988
spatial analysis, geographic information system, 711
Ixodes scapularis, 711
spatial distribution, *Babesia microti*, 866
Ixodes scapularis, 866
species redescription, Acari, 772, 828
hypoderatid deutonymphs, 772, 828
spirochetes tick density, *Borrelia*, 805
Ixodes ricinus, 805
St. Louis encephalitis

virus, *Culex pipiens* complex, 123
polymerase chain reaction, 123
stable fly, glial cells, 496
Horn fly, 473
immunocytochemistry, 473
neurosecretion, 496
Stegomyia, adult mosquitoes, 53
Aedes, 53
Halmahela, 169
Indonesia, 169
sterile insect technique, *Cochliomyia hominivorax*, 877
screwworm eradication, 877
Stomoxys calcitrans, attractants, 859
isozymes, 413
phenylpropanoids, 859
population genetics, 413
sugar feeding, *Anopheles gambiae*, 608
blood feeding, 608
survival, *Amblyomma cajennense*, 63
Culex tritaeniorhynchus adults, 698
lycosid spiders, 698
water-balance, 63
sylvatic fleas, factors, 790
seasonal abundance, 790
sylvatic triatomines, colonization, 635
Triatoma guasayana, 635

T

tannis, phenolics, 159
treehole mosquito, 159
Tanzania, *Anopheles gambiae* complex, 202
larvae distribution, 202
temperature, Arachnida, 6
mortality, 6
thermal environment, egg hatch, 976
Hypoderma lineatum, 976
tick, *amblyomma americanum*, 706
Anaplasma marginale, 911
classifications and regression trees, 888
cold-hardiness, 706
Dermacentor andersoni, 911
fleas, 355
host-parasite associations, 224
Ixodes ricinus, 888
Ixodes scapularis, 852
Ixodidae, 224
Lyme disease, 355, 852
tick control, *Amblyomma americanum*, 385
ivermectin systemic acaricide, 385
tick ecology, Lyme disease, 90
tick population dynamics, 90
tick immunity, *Rhipicephalus appendiculatus*, 559
tick resistance, 559
tick population biology, *Ixodes scapularis*, 619
microclimate, 619
tick population dynamics, Lyme disease, 90
tick ecology, 90
tick resistance, *Rhipicephalus appendiculatus*, 559
tick immunity, 559
tick sexual partners, borreliae, 351
maintenance, 351
toxicity, cat flea, 670
pyriproxyfen, 670
treehole mosquito, phenolics, 159
tannis, 159
Triatoma guasayana, colonization, 635
sylvatic triatomines, 635
Triatoma infestans, Chagas disease, 15
cis-maleamates, 823
cis-permethrin, 58
deltamethrin, 58
epidemiology, 15
feeding inhibition, 823
Trombiculidae, *Leptotrombidium deliense*, 232
Leptotrombidium fletcheri, 232
Tunga penetrans, Siphonaptera, 988
Tungidae, 988
Tungidae, Siphonaptera, 988
Tunga penetrans, 988

V

vector competence, Crimean-Congo hemorrhagic fever virus, 848
Culex tarsalis, 433
Hyalomma impeltatum, 848
western equine encephalomyelitis virus, 433
vector ecology, age-structure, 683
Lutzomyia cruciata, 683
vectorial capacity, climate change, 361
malaria, 361
vertical distribution, host-seeking, 971
Ixodes scapularis, 971
viability, *Ctenocephalides felis*, 250
fecundity, 250
visceral leishmaniases, Colombia, 278
Lutzomyia evansi, 278

W
warble stage, cattle, 220
Hypoderma lineatum, 220
water wells, Greece, 269
Phlebotomus, 269
water-balance, *Amblyomma cajennense*, 63
survival, 63
western equine encephalomyelitis virus, *Culex tarsalis*, 433
vector competence, 433
white-footed mice, *Borrelia burgdorferi*, 165
Ixodes scapularis, 165
white-tailed deer, *Amblyomma americanum*, 153
blacklegged tick, 640
ectoparasites, 96
Ehrlichia chaffeensis, 153
Florida, 96
Ixodes scapularis, 933
kairomone, 640
Wisconsin, 933
wing length, *Anopheles gambiae*, 261
body weight, 261
Wisconsin, *Ixodes scapularis*, 933
white-tailed deer, 933
Wohlfahrtia magnifica, diptera, 586
miyasigen, 586
Wuchereria bancrofti, *Aedes polymesiensis*, 516
infective larvae, 516

Y
yellow fever, *Aedes*, 760
epidemics, 760